

2.0
Brand new
upgrade
全新升級

vanlei 万磊®



效果圖型號: YJS - 0101 (100g)



PRODUCT

極致雅晶石

GAMAZINE



YJS - 260501

極致雅晶石

ART PAINT
GAMAZINE SERIES



微信掃一掃
獲取更多内容

GLUME ROCK PARTICLE

SELECT EACH



天然原材

精選岩石顆粒
粒粒飽滿如金子



色彩純正

硅(矽)酸鹽無機色漿
耐候保色20年



深度認證

阿里深度認證工廠
ISO9001管理機制



TÜV認證

德國萊茵環保認證





雅晶石 - 細砂

XJS - 6284 (100g)



雅晶石 - 中砂

ZJS - 6287 (100g)



雅晶石 - 細砂

XJS - 6288 (100g) + 銀色面塗

SERIES
CANDLE SHADOW
燭影



XJS-M14 (10g)



XJS-M14 (30g)



XJS-6261 (10g)



XJS-6261 (30g)



XJS-M25 (10g)



XJS-M25 (30g)



XJS-6245 (10g)



XJS-6245 (30g)



XJS-6255 (10g)



XJS-6255 (30g)



XJS-0296 (10g)



XJS-0296 (30g)



XJS-6258 (10g)



XJS-6258 (30g)



XJS-0932 (10g)



XJS-0932 (30g)

SERIES
CRIMSON
赤霞



XJS-6259 (10g)




XJS-6259 (30g)



XJS-M29 (10g)



XJS-M29 (30g)



XJS-6139 (10g)



XJS-6139 (30g)



XJS-6134 (10g)



XJS-6134 (30g)



XJS-6165 (10g)



XJS-6165 (30g)



XJS-M106 (10g)



XJS-M106 (30g)




XJS-0906 (10g)



XJS-0906 (30g)



XJS-6250 (10g)



XJS-6250 (30g)

It is completely normal for there to be slight differences between the color on the color card and the actual material. Please forgive us

SERIES
MOON WHITE
月白



XJS-6116 (10g)



XJS-6116 (30g)



XJS-6175 (10g)



XJS-6175 (30g)



XJS-6267 (10g)



XJS-6267 (30g)



XJS-6244 (10g)



XJS-6244 (30g)



XJS-M23 (10g)



XJS-M23 (30g)



XJS-M41 (10g)



XJS-M41 (30g)



XJS-6268 (10g)



XJS-6268 (30g)



XJS-M44 (10g)



XJS-M44 (30g)

SERIES
POPULAR
熱門



XJS-6295 (100g) 象牙白



XJS-6284 (100g) 可可蛋奶



XJS-6285 (100g) 荷蘭奶酪



XJS-6286 (100g) 奶咖



XJS-6287 (100g) 杏子灰



XJS-6288 (100g) 汝窑




XJS-6289 (100g) 蜜合色




XJS-6290 (100g) 石膏岩



XJS-6291 (100g) 流花白



XJS-6292 (100g) 雪花石膏



XJS-6293 (100g) 太空漫步



XJS-6294 (100g) 樺木白



多種藝術風格, 隨心選擇

Various artistic styles
Choose at will

Gamazine

Carefully Selecting Each Individual
Rock Particle

雅晶石, 精選每顆岩石顆粒
每一顆飽滿的砂子都帶有獨特的光澤
冠以獨特的流水型花紋

It is completely normal for there to be slight differences between the color on the color card and the actual material. Please forgive us

極致雅晶石 GAMAZINE



雅晶石,精選每顆岩石顆粒,每一顆飽滿的砂子都帶有獨特的光澤,冠以獨特的流水型花紋。其柔和、淡雅的色彩,“萬磊”在追求整體美感的同時,更突顯了居室牆面的獨一無二

Gamazine, Each rock particle is carefully selected, and every plump sand has a unique luster, crowned with a unique flowing pattern. With its soft and elegant colors, "Wanlei" not only pursues overall beauty, but also highlights the uniqueness of the living room walls

CN

主要成分

納(奈)米乳、精選岩石顆粒、無機棒土、納(奈)米碳酸鈣粉、純淨水

產品特點

- A、精選岩石顆粒,粒粒飽滿如金子
- B、天然色彩,柔韌厚重的材質
- C、多種藝術風格,隨心選擇
- D、無接縫,無有害物質,防水耐污性強

適用範圍

歐美藝術風格、內外牆適用(高級的宴會廳、商業酒店、大廳、別墅)

配套體系

抗碱底漆 + 雅晶石(中、細砂) + 金裝啞光罩面

耗材標準: 1.5-2kg/m²

配套工具:羊毛滾筒、批刀、磨板

基面要求

- ①必須使用耐水膩子粉(補土),表面平整無脫落
- ②(輕微)掉粉時:滾塗滲透底漆,12小時後再施工

施工方法

- ①滾塗抗碱底漆,必須完全封閉基層
- ②用批刀薄批、找平一遍(可允許有露底現象)
- ③主材兌水約3-5%,薄批第二遍,未乾前用磨板,打圈整體磨返
- ④半乾後,用磨板回壓刮出蟲蛀紋理
- ⑤乾燥後輕微打磨,滾塗金裝啞光罩面

產品重量 / 保質期 / 執行標準 / 生產日期:詳見包裝合格證

EN

Main components

Nano emulsion, selected rock particles, inorganic rod soil, nano calcium carbonate powder, purified water

Features

- A. Selected rock particles, as full as gold
- B. Natural color, flexible and thick material
- C. Various artistic styles, choose as you like
- D. No seams, no harmful substances, strong waterproof and stain resistance

Scope of application

simple art decoration style, suitable for interior and exterior walls (high-end banquet halls, commercial hotels, lobbies, villas)

Supporting system

Alkali resistant primer + GAMAZINE paint (medium and fine sand) + Matte finish

Color selection: Gamazine paint Vanlei dedicated color card

Consumables standard: 1.5-2kg/m²

Supporting tools: wool roller, batch knife, grinding plate

Base surface requirements

- 1. Water-resistant putty powder must be used, the surface is smooth and does not fall off
- 2. (Slight) powder fall off: apply penetrating primer by roller, then let stand for 12 hours

Construction steps

- ① Roll coated alkali resistant primer must completely seal the base layer
- ② Use a batch knife to thin batch and level once (there may be leakage at the bottom)
- ③ Mix the main material with about 3-5% water, thin batch for the second time, use a grinding plate before it dries, circle and grind the whole back
- ④ After semi drying, use a grinding plate to press back and scrape out the insect infested texture
- ⑤ After drying, lightly polish and roll coat with a matte finish

Product weight/shelf life/execution standard/production date:

see packaging certificate for details

佛山市南海萬磊建築塗料有限公司

Foshan City Nanhai Wanlei Building Paint CO., LTD



廣東生產基地(代碼FS)

佛山市南海區獅山鎮松崗萬石管理區
象頭崗萬石村工業路1、2、5號

廣州分公司

廣州市荔灣區羊城裝飾材料市場172號

廣西生產基地(代碼QT)

廣西壯族自治區貴港市覃塘區產業園甘化園區

南寧分公司

廣西壯族自治區南寧市興寧區快環建材市場

△ 注意

公司根據產品技術和發展需要,有權對產品配方進行更新升級,而不對外另行公佈,請以最新樣板冊顏色為準,不便之處,敬請見諒!

4000-147-187 www.fswanlei.com